

| | | |
|--|----------------------|---|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | Application No. | 10/584,338 |
| | Filing Date | June 23, 2006 |
| | First Named Inventor | D'Amour et al. |
| | Art Unit | Not Yet Assigned 1632 |
| (Multiple sheets used when necessary) | Examiner | Not Yet Assigned /Wu-Cheng Winston Shen/ |
| SHEET 1 OF 8 | Attorney Docket No. | CYTHERA.045NP |

U.S. PATENT DOCUMENTS

| Examiner Initials | Cite No. | Document Number Number - Kind Code (if known) Example: 1,234,567 B1 | Publication Date MM-DD-YYYY | Name of Patentee or Applicant | Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear |
|-------------------|----------|---|--------------------------------|-------------------------------|--|
| | 1 | 6,872,389 | 03-29-2005 | Rhode Island Hospital | |
| | 2 | 6,261,281 | 07.17.2001 | Mathiesen et al. | |
| | 3 | 6,251,671 | 06.26.2001 | Hogan et al. | |
| | 4 | 6,200,806 | 03.13.2001 | Thomson | |
| | 5 | 6,165,993 | 12.26.2000 | Herrmann et al. | |
| | 6 | 6,090,622 | 07.18.2000 | Gearhart et al. | |
| | 7 | 6,015,671 | 01.18.2000 | Field | |
| | 8 | 5,843,780 | 12.01.1998 | Thomson | |
| | 9 | 5,830,876 | 11.03.1998 | Weiner et al. | |
| | 10 | 5,817,637 | 10.06.1998 | Weiner et al. | |
| | 11 | 5,690,926 | 11.25.1997 | Hogan | |
| | 12 | 5,670,372 | 09.23.1997 | Hogan | |
| | 13 | 5,453,357 | 09.26.1995 | Hogan | |
| | 14 | 7,033,831 B2 | 04-25-2006 | Fisk, et al. | |
| | 15 | 2002/0072117 | 06.13.2002 | Xu et al. | |
| | 16 | 2003/0175956 | 09.18.2003 | Bodnar et al. | |
| | 17 | 2003/0190748 | 10.09.2003 | Thomson | |
| | 18 | 2003/0224411 | 12.04.2003 | Stanton et al. | |
| | 19 | 2003/138949 A1 | 07-24-2003 | Bhushan Anil, et al. | |
| | 20 | 2004/0229350 | 11.18.2004 | Strelchenko et al. | |
| | 21 | 2006/0019387 | 01-26-2006 | Faris | |
| | 22 | 2006/0040387 | 02-23-2006 | Fisk, et al. | |
| | 23 | 2006/0040385 | 02-23-2006 | Itskovitz-Eldor, et al. | |

FOREIGN PATENT DOCUMENTS

| Examiner Initials | Cite No. | Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1 | Publication Date MM-DD-YYYY | Country | Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear | T ¹ |
|-------------------|----------|--|--------------------------------|------------|--|----------------|
| | 24 | EP 1,298,201 A | 04-02-2003 | Cardion AG | | |
| | 25 | WO 00/29442 | 05.25.2000 | PCT | | |

| | | | |
|--------------------|-------------------------|-----------------|------------|
| Examiner Signature | /Wu-Cheng Winston Shen/ | Date Considered | 02/04/2009 |
|--------------------|-------------------------|-----------------|------------|

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

T¹ - Place a check mark in this area when an English language translation is attached.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH.

/W.S./

| | | |
|--|----------------------|---|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | Application No. | 10/584,338 |
| | Filing Date | June 23, 2006 |
| | First Named Inventor | D'Amour et al. |
| | Art Unit | Not Yet Assigned 1632 |
| (Multiple sheets used when necessary) | Examiner | Not Yet Assigned /Wu-Cheng Winston Shen/ |
| SHEET 2 OF 8 | Attorney Docket No. | CYTHERA.045NP |

FOREIGN PATENT DOCUMENTS

| Examiner Initials | Cite No. | Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1 | Publication Date MM-DD-YYYY | Country | Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear | T ¹ |
|-------------------|----------|--|--------------------------------|-------------------------------------|--|----------------|
| | 26 | WO 02/10347 | 02-07-2002 | Yissum Research Development Company | | |
| | 27 | WO 02/059278 | 08.01.2002 | PCT | | |
| | 28 | WO 03/050249 A2 | 06-19-2003 | GERON Corporation | | |
| | 29 | WO 03/050249 A3 | 06-19-2003 | GERON Corporation | | |
| | 30 | WO 03/100026 | 12-04-2003 | Novocell, Inc. | | |
| | 31 | WO 04/098490 | 11.18.2004 | PCT | | |
| | 32 | WO 05/116073 | 12-08-2005 | Novocell, Inc. | | |
| | 33 | WO 05/017131 | 02.24.2005 | PCT | | |
| | 34 | WO 05/033294 | 04.14.2005 | PCT | | |
| | 35 | WO 05/045001 | 05.19.2005 | PCT | | |
| | 36 | WO 05/063971 | 07-14-2005 | Novocell, Inc. | | |
| | 37 | WO 06/016999 | 02-16-2006 | Novocell, Inc. | | |
| | 38 | WO 06/017134 | 02-16-2006 | Novocell, Inc. | | |
| | 39 | WO 99/13915 | 03.25.1999 | PCT | | |

NON PATENT LITERATURE DOCUMENTS

| Examiner Initials | Cite No. | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ¹ |
|-------------------|----------|---|----------------|
| | 40 | ABE K et al., "Endoderm-Specific Gene Expression in Embryonic Stem Cells Differentiated to Embryoid Bodies." Experimental Cell Research. Vol.229, no. 1, p.27-34, 1996. | |
| | 41 | ALEXANDER, J., and Stainier, D.Y. (1999). A molecular pathway leading to endoderm formation in zebrafish. Curr Biol 9, 1147-1157. | |
| | 42 | ALEXANDER, J., Rothenberg, M., Henry, G.L., and Stainier, D.Y. (1999). Casanova plays an early and essential role in endoderm formation in zebrafish. Dev Biol 215, 343-357. | |
| | 43 | ANG ET AL., "The Formation and Maintenance of the Definitive Endoderm Lineage in the Mouse: Involvement of HNF3/forkhead Proteins." Development, 119:1301-1315. (1993). | |
| | 44 | AOKI, T.O., Mathieu, J., Saint-Etienne, L., Rebagliati, M.R., Peurieras, N., and Rosa, F. M. (2002). Regulation of nodal signalling and mesendoderm formation by TARAM-A, a TGFbeta-related type I receptor. Dev Biol 241, 273-288. | |
| | 45 | BAIN ET AL., "Embryonic Stem Cells Express Neuronal Properties in Vitro." Developmental Biology. 168:342-357 (1995). | |

| | | | |
|--------------------|-------------------------|-----------------|------------|
| Examiner Signature | /Wu-Cheng Winston Shen/ | Date Considered | 02/04/2009 |
|--------------------|-------------------------|-----------------|------------|

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

T¹ - Place a check mark in this area when an English language translation is attached.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH.

/W.S./

| | | |
|--|----------------------|---|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | Application No. | 10/584,338 |
| | Filing Date | June 23, 2006 |
| | First Named Inventor | D'Amour et al. |
| | Art Unit | Not Yet Assigned 1632 |
| (Multiple sheets used when necessary) | Examiner | Not Yet Assigned /Wu-Cheng Winston Shen/ |
| SHEET 3 OF 8 | Attorney Docket No. | CYThERA.045NP |

NON PATENT LITERATURE DOCUMENTS

| Examiner Initials | Cite No. | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ¹ |
|-------------------|----------|---|----------------|
| | 46 | BARRY et al. « Production of monoclonal antibodies by genetic immunization. » Biotechniques 16 : 616-620. (1994). | |
| | 47 | BECK, S., Le Good, J.A., Guzman, M., Ben Haim, N., Roy, K., Beermann, F., and Constam, D.B. (2002). Extra-embryonic proteases regulate Nodal signaling during gastrulation. Nat Cell Biol 4, 981-985. | |
| | 48 | BEDDINGTON, R.S., Rashbass, P., and Wilson, V. (1992). Brachyury—a gene affecting mouse gastrulation and easily organogenesis. Dev Suppl, 157-165. | |
| | 49 | BONGSO, A., Fong, C.Y., Ng, S.C., and Ratnam, S. (1994). Isolation and culture of inner cell mass cells from human blastocysts. Hum Reprod 9, 2110-2117. | |
| | 50 | BOST ET AL., "Retinoic Acid Activation of the ERK Pathway is Required for Embryonic Stem Cell Commitment into the Adipocyte Lineage." Biochem. J. 361:621-627. (2002). | |
| | 51 | CHANG, H., Brown, C.W., and Matzuk, M.M (2002). Genetic analysis of the mammalian transforming growth factor-beta superfamily. Endocr Rev 23, 787-823. | |
| | 52 | CONLON, F.L., Lyons, K.M., Takaesu, N., Barth, K.S., Kispert, A., Herrmann, B., and Robertson, E.J. (1994). A primary requirement for nodal in the formation and maintenance of the primitive streak in the mouse. Development 120, 1919-1928. | |
| | 53 | COSTAGLIA et al. (1998) Genetic immunization against the human thyrotropin receptor causes thyroiditis and allows production of monoclonal antibodies recognizing the native receptor. J. Immunol. 160: 1458-1465. | |
| | 54 | D'AMOUR KEVIN A. et al., "Efficient differentiation of human embryonic stem cells to definitive endoderm." Nature Biotechnology, Dec. 2005, Vol. 23, no. 12, pp. 1534-1541. | |
| | 55 | DANI ET AL., "Differentiation of Embryonic Stem Cells into Adipocytes in Vitro." Journal of Cell Science. 110:1279-1285. (1997). | |
| | 56 | DOUGAN, S.T., Warga, R.M., Kane, D.A., Schier, A.F., and Talbot, W.S. (2003). The role of the zebrafish nodal-related genes squint and Cyclops in patterning of mesendoderm. Development 130, 1837-1851. | |
| | 57 | DEFELICE MARIO ET AL., "TTF-1 Phosphorylation is required for peripheral lung Morphogenesis, Perinatal Survival, and Tissue-Specific Gene Expression." The Journal of Biological Chemistry. 278:37, pgs.35574-35583. (2003). | |
| | 58 | EDLUND, H., "Factors Controlling Pancreatic Cell Differentiation and Function," Diabetologia, Sept. 2001, Vol. 44, no. 9, pp. 1071-9 | |
| | 59 | FALASCA, L. et al., "Retinoic Acid Treatment Induces Apoptosis or Expression of a More Differentiated Phenotype on Different Fractions of Cultured Fetal Rat Hepatocytes Hepatology," 1998, Vol. 28, No. 3, pp. 727-737 | |
| | 60 | FÉHLING et al., "Development and Disease: Tracking Mesoderm Induction and its Specification to the Hemangioblast during Embryonic Stem Cell Differentiation." Development. 130:4217-4227. (2003). | |
| | 61 | FELDMAN, B., Gates, M.A., Egan, E.S., Dougan, S.T., Rennebeck, G., Sirotkin, H. I., Schier, A.F., and Talbot, W.S. (1998). Zebrafish organizer development and germ-layer formation require nodal-related signals. Nature 395, 181-185. | |
| | 62 | FENG, Y., Broder, C.C., Kennedy, P.E., and Berger, E.A. (1996). HIV-1 entry cofactor: functional cDNA cloning of a seven-transmembrane, G protein-coupled receptor. Science 272, 872-877. | |

| | |
|--|----------------------------|
| Examiner Signature /Wu-Cheng Winston Shen/ | Date Considered 02/04/2009 |
|--|----------------------------|

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

~~ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH.~~ /W.S./

T¹ - Place a check mark in this area when an English language translation is attached.

| | | |
|--|----------------------|---|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | Application No. | 10/584,338 |
| | Filing Date | June 23, 2006 |
| | First Named Inventor | D'Amour et al. |
| | Art Unit | Not Yet Assigned 1632 |
| (Multiple sheets used when necessary) | Examiner | Not Yet Assigned /Wu-Cheng Winston Shen/ |
| SHEET 4 OF 8 | Attorney Docket No. | CYTHERA.045NP |

NON PATENT LITERATURE DOCUMENTS

| Examiner Initials | Cite No. | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ¹ |
|-------------------|----------|---|----------------|
| | 63 | FUTAKI, S., Hayashi, Y., Yamashita, M., Yagi, K., Bono, H., Hayashizaki, Y., Okazaki, Y., and Sekiguchi, K. (2003). Molecular basis of constitutive production of basement membrane components: Gene expression profiles of engelbreth-holm-swarm tumor and F9 embryonal carcinoma cells. J Biol. Chem. | |
| | 64 | GOUMANS ET AL., "Mouse Embryonic Stem Cells with Aberrant Transforming Growth Factor B signaling Exhibit Impaired Differentiation in Vitro and In Vivo." Differentiation. 63:103-113. (1998). | |
| | 65 | GRAPIN-BOTTON, A., and Melton, D. A. (2000). Endoderm development: from patterning to organogenesis. Trends Genet 16, 124-130. | |
| | 66 | HAMAZAKI et al. "Hepatic Maturation in Differentiating Embryonic Stem Cells in Vitro." Febs Letter, Elsevier Science Publishers, Amsterdam, NL, vol. 497, no.1: 15-19. | |
| | 67 | HARRIS, T. M., and Childs, G. (2002). Global gene expression patterns during differentiation of F9 embryonal carcinoma cells into parietal endoderm. Funct Integr Geneomics 2, 105-119. | |
| | 68 | HOGAN, B.L. (1996). Bone morphogenetic proteins in development. Curr Opin Genet Dev 6, 432-438. | |
| | 69 | HOWE, C.C., Overton, G.C., Sawicki, J., Solter, D., Stein, P., and Strickland, S. (1988). Expression of SPARC/osteonectin transcript in murine embryos and gonads. Differentiation 37, 20-25. | |
| | 70 | HUDSON, C., Clements, D., Friday, R. V., Stott, D., and Woodland, H.R. (1997). Xsox17alpha and -beta mediate endoderm formation in Xenopus. Cell 91, 397-405. | |
| | 71 | IMADA, M., Imada, S., Iwasaki, H., Kume, A., Yamaguchi, H., and Moore, E.E. (1987). Fetomodulin: Marker surface protein of fetal development which is modulatable by cyclic AMP. Dev Biol 122, 483-491. | |
| | 72 | JAIN, K. et al., "Glucose Control and Long-Term Survival in Breeding/Worcester Rats After Intraperitoneal Implantation of Hydrophilic Macrobeads containing Porcine Islets without Immunosuppression," Transplantation, 1999, Vol. 68, No. 11, pp. 1693-1700 | |
| | 73 | Kahan, B.W., et al. "Pancreatic Precursors and Differentiated Islet Cell Types from Murine Embryonic Stem Cells: An In Vitro Model to Study Islet Differentiation." Diabetes. August 2003, vol. 52, no. 8, pp. 2016-2024. | |
| | 74 | KANAI-AZUMA, M., Kanai, Y., Gad, J.M., Tajima, Y., Taya, C., Kurohmaru, M., Sanai, Y., Yonekawa, H., Yazaki, K., Tam, P.P., and Hayashi, Y. (2002). Depletion of definitive gut endoderm in Sox17-null mutant mice. Development 129, 2367-2379. | |
| | 75 | KATOH, M. (2002). Expression of human SOX7 in normal tissues and tumors. Int J Mol Med 9, 363-368. | |
| | 76 | KIEFFER, T.J., and J.F. Habener, "The Glucagon-Like Peptides," Endocrinology Reviews, Dec. 1999, Vol. 20, no. 6, pp. 876-913 | |
| | 77 | KIKUCHI, Y., Agathon, A., Alexander, J., Thisse, C., Waldron, S., Yelon, D., Thisse, B., and Stainier, D.Y. (2001). Casanova encodes a novel Sox-related protein necessary and sufficient for early endoderm formation in zebrafish. Genes Dev 15, 1493-1505. | |
| | 78 | KILPATRICK et al. (1998). Gene gun delivered DNA-based immunizations mediate rapid production of murine monoclonal antibodies to the Fit-3 receptor. Hybridoma 17: 569-576. | |
| | 79 | KIM, C.H., and Broxmeyer, H.E. (1999). Chemokines: signal lamps for trafficking of T and B cells for development and effector function. J Leukoc Biol 65, 6-15. | |

| | | | |
|--------------------|-------------------------|-----------------|------------|
| Examiner Signature | /Wu-Cheng Winston Shen/ | Date Considered | 02/04/2009 |
|--------------------|-------------------------|-----------------|------------|

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

T¹ - Place a check mark in this area when an English language translation is attached.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH.

/W.S./

| | | |
|--|----------------------|---|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | Application No. | 10/584,338 |
| | Filing Date | June 23, 2006 |
| | First Named Inventor | D'Amour et al. |
| | Art Unit | Not Yet Assigned 1632 |
| (Multiple sheets used when necessary) | Examiner | Not Yet Assigned /Wu-Cheng Winston Shen/ |
| SHEET 5 OF 8 | Attorney Docket No. | CYTHERA.045NP |

NON PATENT LITERATURE DOCUMENTS

| Examiner Initials | Cite No. | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ¹ |
|-------------------|----------|---|----------------|
| | 80 | KIMELMAN, D., and Griffin, K. J. (2000). Vertebrae mesendoderm induction and patterning, Curr Opin Genet Dev 10, 350-356. | |
| | 81 | KRASEMANN et al. (1999). Generation of monoclonal antibodies against proteins with an unconventional nucleic acid-based immunization strategy. J. Biotechnol. 73: 119-129. | |
| | 82 | KUBO, A., Shinozaki, K., Shannon, J. M., Kouskoff, V., Kennedy, M., Woo, S., Fehlong, H.J., and Keller, G. (2004). Development of definitive endoderm from embryonic stem cells in culture. Development 131, 1651-1652. | |
| | 83 | KUMAR, A., Novoselov, V., Celeste, A. J., Wolfman, N.M., ten Dijke, P., and Kuehn, M. R. (2001). Nodal signaling uses activin and transforming growth factor-beta receptor-regulated Smads. J Biol Chem 276, 666-661. | |
| | 84 | LABOSKY, P.A., Barlow, D. P., and Hogan, B. L. (1994). Embryonic germ cell lines and their derivation from mouse primordial germ cells. Ciba Found Symp 182, 157-168; discussion 168-178. | |
| | 85 | LABOSKY, P.A., Barlow, D. P., and Hogan, B. L. (1994). Mouse embryonic germ (EG) cell lines: transmission through the germline and differences in the methylation imprint of insulin-like growth factor 2 receptor (Igf2r) gene compared with embryonic stem (ES) cell lines. Development 120, 3197-3204. | |
| | 86 | LATIF, Z.A. et al., "A Simple Method of Staining Fresh and Cultured Islets," Transplantation, 1998, Vol. 45, no. 4, pp. 827-30 | |
| | 87 | LICKERT, H., Kutsch, S., Kanzler, B., Tamai, Y., Taketo, M.M., and Kemler, R. (2002). Formation of multiple hearts in mice following deletion of beta-catenin in the embryonic endoderm. Dev Cell 3, 171-181. | |
| | 88 | LU, C.C., Brennanm J., and Robertson, E. J., (2001). From fertilization to gastrulation: axis formation in the mouse embryo. Curr Opin Genet Dev 11, 384-392. | |
| | 89 | LUMELSKY, N. et al., "Differentiation of Embryonic Stem Cells to Insulin-Secreting Structures Similar to Pancreatic Islets," Science Vol. 292, pp. 1389-1394 (2001) | |
| | 90 | Micallef Suzanne, et al. "Retinoic Acid Induces Pdx1-positive Endoderm in Differentiating mouse embryonic stem cells." Diabetes. February 2005, vol. 54, no. 2, pp. 301-305. | |
| | 91 | MA, Q., Jones, D., and Springer, T. A. (1999). The chemokine receptor CXCR4 is required for the retention of B lineage and granulocytic precursors within the bone marrow microenvironment, Immunity 10, 463-471. | |
| | 92 | MCCRATH, K.E., Koniski, A. D., Maltby, K. M., McGann, J.K. and Palis, J. (1999). Embryonic expression and function of the chemokine SDF-1 and its receptor, CXCR4. Dev Biol. 213, 442-456. | |
| | 93 | MIYAZONO, K., Kusanagi, K., and Inoue, H. (2001). Divergence and convergence of TGF-beta/BMP signaling. J Cell Physiol 187, 265-276. | |
| | 94 | MIZUSAWA et al., "Differentiation Phenotypes of Pancreatic Islet Beta- and Alpha-Cells are Closely Related with Homeotic Genes and a Group of Differentially Expressed Genes." Gene: An Int. Journal on Genes and Genomes. 331:53-63. (2004). | |
| | 95 | MORIYA, N. et al., "In Vitro Pancreas Formation from <i>Xenopus</i> Ectoderm Treated with Activin and Retinoic Acid," Develop. Growth Differ., Vol. 42, pp. 593-602 (2000) | |

| | |
|---|---------------------------------|
| Examiner Signature /Wu-Cheng Winston Shen/ | Date Considered 02/04/2009 |
|---|---------------------------------|

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /W.S./

T¹ - Place a check mark in this area when an English language Translation is attached.

| | | |
|--|----------------------|---|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | Application No. | 10/584,338 |
| | Filing Date | June 23, 2006 |
| | First Named Inventor | D'Amour et al. |
| | Art Unit | Not Yet Assigned 1632 |
| (Multiple sheets used when necessary) | Examiner | Not Yet Assigned /Wu-Cheng Winston Shen/ |
| SHEET 6 OF 8 | Attorney Docket No. | CYTHERA.045NP |

NON PATENT LITERATURE DOCUMENTS

| Examiner Initials | Cite No. | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ¹ |
|-------------------|----------|--|----------------|
| | 96 | NAGASAWA, T., Hirota, S., Tachibana, K., Takakura, N., Nichikawa, S., Kitamura, Y., Yoshida, N., Kikutani, H., and Kishimoto, T. (1996). Defects of B-cell lymphopoiesis and bone-marrow myelopoiesis in mice lacking the CXC chemokine PBSF/SDF-1. <i>Nature</i> 382, 635-638. | |
| | 97 | NIWA, H. (2001). Molecular mechanism to maintain stem cell renewal of ES cells. <i>Cell Struct Funct</i> 26, 137-148. | |
| | 98 | O'HARE, M.J. et al., "Conditional Immortalization of Freshly Isolated Human Mammary Fibroblast and Endothelial Cells," <i>Proc. Nat. Acad. Sci.</i> , Vol. 98, pp. 646-651 (2001) | |
| | 99 | OGURA, H., Aruga, J., and Mikoshiba, K. (2001). Behavioral abnormalities of Zic1 and Zic2 mutant mice: implications as models for human neurological disorders. <i>Behav Genet</i> 31, 317-324. | |
| | 100 | PHILLIPS et al., "Differentiation of Embryonic Stem Cells for Pharmacological Studies on Adipose Cells." <i>Pharmacological Research</i> . 47:263-268. (2003). | |
| | 101 | REUBINOFF, B.E., Pera, M.F., Fong, C.Y. Tounson, A., and Bongso, A. (2000). Embryonic stem cell lines from human blastocysts: somatic differentiation in vitro. <i>Nat Biotechnol</i> 18, 399-404. | |
| | 102 | RODAWAY, A., and Patient, R. (2001). Mesendoderm, an ancient germ layer? <i>Cell</i> 105, 169-172. | |
| | 103 | RODAWAY, A., Takeda, K., Koshida, S., Broadbent, J., Price, B., Smith, J.C., Patient, R., and Holder, N. (1999). Induction of the mesendoderm in the zebrafish germ ring by yolk cell-derived TGF-beta family signals and discrimination of mesoderm and endoderm by FGF. <i>Development</i> 126, 3067-3078. | |
| | 104 | ROHR, K.B., Schulte-Merker, S., and Tautz, D. (1999). Zebrafish zic1 expression in brain and somites is affected by BMP and hedgehog signaling. <i>Mech Dev</i> 85, 147-159. | |
| | 105 | SANDER, M. and M.S. German, "The Beta Cell Transcription Factors and Development of the Pancreas," <i>Journal of Molecular Medicine</i> , May 1997, Vol. 75, no. 5, pp. 327-40 | |
| | 106 | SCHIER, A. F. (2003). Nodal signaling in vertebrate development. <i>Annu Rev Cell Dev Biol</i> 19, 589-621. | |
| | 107 | SCHMOLKE et al. (1998). Identification of hepatitis G virus particles in human serum by E2-specific monoclonal antibodies generated by DNA immunization. <i>J. Virol.</i> 72: 4541-4545. | |
| | 108 | SCHOENWOLF, G.C., and Smith, J. L. (2000). Gastrulation and early mesodermal patterning in vertebrates. <i>Methods Mol Biol</i> 135, 113-125. | |
| | 109 | SCHULDINER et al. (2000). Effects of Eight Growth Factors on the Differentiation of Cell Derived from Human Embryonic Stem Cells. <i>Proc. Natl. Sci.</i> , Vol. 97, 11307-11312. | |
| | 110 | SHAMBLOTT, M.J., Axelman, J., Wang, S., Bugg, E. M., Littlefield, J.W., Donovan, P. J., Blumenthal, P. D., Huggins, G. R., and Gearhart, J.D. (1998). Derivation of pluripotent stem cells from cultured human primordial germ cells. <i>Proc Natl Acad Sci USA</i> 95, 13726-13731. | |
| | 111 | SHAPIRO, A. M., Lakey, J.R., Ryan, E. A., Korbittm G. S., Toth, E., Warnock, G. L., Kneteman, N.M., and Rajotte, R. V. (2000). Islet transplantation in seven patients with type 1 diabetes mellitus using a glucocorticoid-free immunosuppressive regimen. <i>N Engl J Med</i> 343, 230-238. | |
| | 112 | SHAPIRO, A. M., Ryan, E. A., and Lakey, J. R. (2001) Pancreatic islet transplantation in the treatment of diabetes mellitus. <i>Best Pract Res Clin Endocrinol Metab</i> 15, 241-264. | |

| | | | |
|--------------------|-------------------------|-----------------|------------|
| Examiner Signature | /Wu-Cheng Winston Shen/ | Date Considered | 02/04/2009 |
|--------------------|-------------------------|-----------------|------------|

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

T¹ - Place a check mark in this area when an English language Translation is attached.

| | | |
|--|----------------------|---|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | Application No. | 10/584,338 |
| | Filing Date | June 23, 2006 |
| | First Named Inventor | D'Amour et al. |
| | Art Unit | Not Yet Assigned 1632 |
| (Multiple sheets used when necessary) | Examiner | Not Yet Assigned /Wu-Cheng Winston Shen/ |
| SHEET 7 OF 8 | Attorney Docket No. | CYTERA.045NP |

NON PATENT LITERATURE DOCUMENTS

| Examiner Initials | Cite No. | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ¹ |
|-------------------|----------|---|----------------|
| | 113 | SHAPIRO, J., Ryan, E., Warnock, G. L., Kneteman, N. M., Lakey, J., Korbitt, G. S., and Rajotte, R. V. (2001) Could fewer islet cells be transplanted in type 1 diabetes? Insulin independence should be dominant force in islet transplantation. <i>Bmj</i> 322, 861. | |
| | 114 | SHIOZAWA, M., Hiraoka, Y., Komatsu, N., Ogawa, M., Sakai, Y., and Aiso, D. (1996). Cloning and characterization of <i>Xenopus laevis</i> xSox 7 xDNA. <i>Biochim Biophys Acta</i> 1309, 73-76. | |
| | 115 | Skoudy, A., et al. "Transforming Growth Factor (TGF) beta, Fibroblast Growth Factor (FGF) and Retinoid Signaling Pathways Promote Pancreatic Exocrine Gene Expression in Mouse Embryonic Stem Cells." <i>The Biochemical Journal</i> . May 1, 2004, vol. 379, no. Pt 3, pp 749-756. | |
| | 116 | SMITH, J. (1997). Brachyury and the T-box genes. <i>Curr Opin Genet Dev</i> 7, 474-480. | |
| | 117 | SMITH, J. C., Ames, N. A., Conlon, F. L., Tada, M., Umbhauer, M., and Weston, K.M. (1997). Upstream and downstream from Brachyury, a gene required for vertebrae mesoderm formation. <i>Cold Springs Harb Symp Quant Biol</i> 62, 337-346. | |
| | 118 | SOON-SHIONG, P., "Treatment of Type 1 Diabetes using Encapsulated Islets," <i>Advanced Drug Delivery Reviews</i> , 1999, Vol. 35, pp. 259-270 | |
| | 119 | SORIA, et al. "Insulin-Secreting Cells Derived from Embryonic Stem Cells Normalize Glycemia in Streptozotocin-Induced Diabetic Mice." <i>Diabetes</i> , New York, NY, Vol. 49, No. 2: 157-162. | |
| | 120 | STAFFORD, D. and Prince, V. (2001). Pancreatic Development, Proliferation and Stem Cells. Meeting Abstract, October 18-19, National Institute of Health. | |
| | 121 | STAFFORD, D. and Prince, V. (2002). Retinoic Acid Signaling Is Required for a Critical Early Step in Zebrafish Pancreatic Development, <i>Current Biology</i> , vol. 12, 1215-1220, July 23, 2002. | |
| | 122 | SUZUKI, M. et al. Cloned Cells Develop Renal Cortical Collecting Tubules. <i>Nephron</i> . 1994, vol. 68, pages 118-124. | |
| | 123 | TAKASH, W., Canizares, J., Bonneaud, N., Poulat, F., Mattei, M.G., Jay, P., and Berta, P. (2001). SOX7 transcription factor: sequence, chromosomal localization, expression, transactivation and interference with Wnt signaling. <i>Nucleic Acids Res</i> 29, 4274-4283. | |
| | 124 | TANIGUCHI, K., Hiraoka, Y., Ogawa, M., Sakai, Y., Kido, S., and Aiso, S. (1999). Isolation and characterization of a mouse SRY-related cDNA, mSox7. <i>Biochim Biophys Acta</i> 1445, 225-231. | |
| | 125 | TECHNAU, U. (2001). Brachyury, the blastopore and the evolution of the mesoderm. <i>Bioessays</i> 23, 788-794. | |
| | 126 | TIEDEMANN et al., "Pluripotent cells (stem cells) and Their Determination and Differentiation in Early Vertebrate Embryogenesis." <i>Develop. Growth Differ.</i> 43:469-502, (2001). | |
| | 127 | THOMSON, J.A., Itskovitz-Eldor, J., Shapiro, S. S., Waknitz, M. A., Swiergiel, J. J., Marshall, V. S., and Jones, J. M. (1998). Embryonic stem cell lines derived from human blastocysts, <i>Science</i> 282, 1145-1147. | |
| | 128 | TREMBLAY, K. D., Hoodless, P. A., Bikoff, E. K., and Robertson, E. J. (2000). Formation of the definitive endoderm in mouse is a Smad2-dependent process. <i>Development</i> 127, 3079-3090. | |
| | 129 | ULIVIERI et al. (1996). Generation of a monoclonal antibody to a defined portion of the <i>Helicobacter pylori</i> vacuolating cytotoxin by DNA immunization. <i>J. Biotechnol.</i> 51: 191-194. | |

| | | | |
|--------------------|-------------------------|-----------------|------------|
| Examiner Signature | /Wu-Cheng Winston Shen/ | Date Considered | 02/04/2009 |
|--------------------|-------------------------|-----------------|------------|

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

T¹ - Place a check mark in this area when an English language translation is attached.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH.

/W.S./

| | | |
|--|----------------------|---|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | Application No. | 10/584,338 |
| | Filing Date | June 23, 2006 |
| | First Named Inventor | D'Amour et al. |
| | Art Unit | Not Yet Assigned 1632 |
| (Multiple sheets used when necessary) | Examiner | Not Yet Assigned /Wu-Cheng Winston Shen/ |
| SHEET 8 OF 8 | Attorney Docket No. | CYThERA.045NP |

NON PATENT LITERATURE DOCUMENTS

| Examiner Initials | Cite No. | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ¹ |
|-------------------|----------|---|----------------|
| | 130 | VANDESOMPELE, J., De Preter, K., Pattyn, F., Poppe, B., Van Roy, N., De Paepe, A., and Speleman, F. (2002). Accurate normalization of real-time quantitative RT-PCR data by geometric averaging of multiple internal control genes. <i>Genome Biol</i> 3, RESEARCH0034. | |
| | 131 | VARLET, I., Collignon, J., and Robertson, E. J. (1997). Nodal expression in the primitive endoderm is required for specification of the anterior axis during mouse gastrulation. <i>Development</i> 124, 1033-1044. | |
| | 132 | VINCENT, S. D., Dunn, N. R., Hayashi, D. P., and Robertson, E. J. (2003). Cell fate decisions within the mouse organizer are governed by graded nodal signals. <i>Genes Dev</i> 17, 1646-1662. | |
| | 133 | VOGEL, G. Stem Cells are Coaxed to Produce Insulin. <i>Science</i> . 27 April 2001, Vol. 292, pages 615-616. | |
| | 134 | WEILER-GUETTLER, H., Aird, W. C., Rayburn, H., Husain, M., and Rosenberg, R. D. (1996). Developmentally regulated gene expression of thrombomodulin in postimplantation mouse embryos. <i>Development</i> 122, 2271-2281. | |
| | 135 | WEILER-GUETTLER, H., Yu, K., Soff, G., Gudas, L. J., and Rosenberg, R. D. (1992). Thrombomodulin gene regulation by cAMP and retinoic acid in F9 embryonal carcinoma cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> 89, 2155-2159. | |
| | 136 | WELLS, J.M., and Melton, D. A. (1999). Vertebrate endoderm development. <i>Annu Rev Cell Dev Biol</i> 15, 393-410. | |
| | 137 | WELLS, J.M., and Melton, D.A. (2000). Early mouse endoderm is patterned by soluble factors from adjacent germ layers. <i>Development</i> 127, 1563-1572. | |
| | 138 | WILLISON, K. (1990). The mouse Brachyury gene and mesoderm formation. <i>Trends Genet</i> 6, 104-105. | |
| | 139 | XU et al., "Characterization and Enrichment of Cardiomyocytes Derived From Human Embryonic Stem Cells." <i>Cellular Biology</i> . 91:501-508. (2002). | |
| | 140 | YASUNAGA MASAHIRO et al., "Induction and monitoring of definitive and visceral endoderm differentiation of mouse ES cells." <i>Nature Biotechnology</i> . Dec. 2005, Vol. 23, no. 12, pp. 1542-1550. | |
| | 141 | ZHAO, G. Q. (2003). Consequences of knocking out BMP signaling in the mouse. <i>Genesis</i> 35, 43-56. | |
| | 142 | ZHOU, X., Sasaki, H., Lowe, L., Hogan, B.L., and Kuehn, M. R. (1993). Nodal is a novel TGF-beta-like gene expressed in the mouse node during gastrulation. <i>Nature</i> 361, 543-547. | |
| | 143 | International Preliminary Examination Report from PCT/US02/16830 dated September 21, 2004. | |
| | 144 | International Search Report from PCT/US02/16830 dated October 1, 2002. | |
| | 145 | PCT Written Opinion from PCT/US02/16830 dated March 2, 2004. | |
| | 146 | Supplementary Partial European Search Report from EP 02739480 dated February 1, 2005 | |

2991778
100506

| | | | |
|--------------------|-------------------------|-----------------|------------|
| Examiner Signature | /Wu-Cheng Winston Shen/ | Date Considered | 02/04/2009 |
|--------------------|-------------------------|-----------------|------------|

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

T¹ - Place a check mark in this area when an English language Translation is attached.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /W.S./